

# L-PAD 6X

## 6 CHANNEL MIXING CONSOLE WITH EFFECTS

### DESCRIPTION

With two transparent sound mic inputs, two stereo line inputs and the 2tk in/out, L-PAD6X is the ideal tool for one man bands, speech, background music diffusion and parties. The 16-preset Internal FX DSP allows the sound to be improved, adding accurate and warm effects. Thanks to the accurate Italian design L-PAD6X is easy to grab and handle in all the situations. It is possible to install L-PAD6X on a mic stand with the dedicated accessories.



### FEATURES

- 2 mono INPUT + 2 stereo INPUT
- 3band/2band EQ
- 1 FX send
- Internal Digital Effects: 99 preset
- External PSU 18V~ 1000mA

**TECHNICAL SPECIFICATIONS**

**Electronic specifications**                      Frequency Response:                      10 Hz ÷ 55000 kHz

---

**Inputs**    Mic:    2  
Gain Range:                                      0 dB ÷ -50 dB  
Mono Line:                                      4  
Gain Selection:                                15 dB ÷ -35 dB  
Line Input Impedance:                      10 kohm

---

**Outputs**    Main MIX:                                      1  
Control Room:                                Yes  
FX Send:                                        1  
Phones:                                         1  
2 Track:                                        Yes

---

**Outputs specifications**                      Main Out Impedance:                      120 ohm  
Main Out Level:                                22 dBu  
Aux Out Impedance (ohm):                120 ohm  
Aux Out Level:                                22 dBu

---

**EQ**    Input Channels EQ:                        2 Shelving 3

---

**Auxiliary sends**                                FX POST:                                      1

---

**Internal Effects**                                Send Effects:                                16

---

**Other features**                                Footswitch:                                Yes

---

**Electrical specifications**                      Power supply:                                External  
Voltage requirements:                      100 V - 240 V  
Power consumption (MAX):                17 W

---

**Standard compliance**                      CE marking:                                Yes

---

**Physical specifications**                      Cabinet/Case Material:                    ABS

---



<b>Size</b>	Height:	66 mm / 2.6 inches
	Width:	197 mm / 7.76 inches
	Depth:	281 mm / 11.06 inches
	Weight:	1.82 kg / 4.01 lbs

---

<b>Shipping informations</b>	Package Height:	80 mm / 3.15 inches
	Package Width:	280 mm / 11.02 inches
	Package Depth:	200 mm / 7.87 inches
	Package Weight:	2.48 kg / 5.47 lbs

**PART NUMBER**

- **17140057**  
L-PAD 6X  
240V, UK  
EAN 8024530011543
  - **17140036**  
L-PAD 6X  
115V, US  
EAN 8024530011260
- **17140049**  
L-PAD 6X  
240V, AU  
EAN 8024530011468
  - **17140029**  
L-PAD 6X  
220-240V, EU  
EAN 8024530011253
- **17140048**  
L-PAD 6X  
100V, JP  
EAN 8024530011451